Degree of Uncertainty of a Set and of a Mass

Florentin Smarandache
University of New Mexico, Gallup, USA

Arnaud Martin
ENSIETA, Brest, France

Abstract.
In this paper we use extend Harley's measure of uncertainty of a set and of mass to the degree of uncertainty of a set and of a mass (bba).

Measure of Uncertainty of a Set.

In DST (Dempster-Shafer's Theory), Hartley defined the measure of uncertainty of a set A by:

$$I(A) = \log_2 |A|, \text{ for } A \in 2^\theta \setminus \{\Phi\},$$

where $|A|$ is the cardinal of the set A.

We can extend it to $DSmT$ in the same way:

$$I(A) = \log_2 |A|, \text{ for } A \in G^\theta \setminus \{\Phi\}$$

where G^θ is the super-power set, and $|A|$ means the DSm cardinal of the set A.

We even improve it to:

$$\bigcup_d^s : G^\theta \setminus \{\Phi\} \rightarrow [0,1]$$

If A is a singleton, i.e. $|A| = 1$, then $\bigcup_d^s (A) = 0$ (minimum degree of uncertainty of a set),

For the total ignorance I_t, since $|I_t|$ is the maximum cardinal, we get $\bigcup_d^s (I_t) = 1$ (maximum degree of uncertainty of a set).

For all other sets X from $G^\theta \setminus \{\Phi\}$, whose cardinal is in between 1 and $|I_t|$, we have $0 < \bigcup_d^s (X) < 1$.

We consider our degree of uncertainty of a set work better than Hartley Measure since it is referred to the frame of discernment.

Let's see an **Example 1**.
If $\theta = \{A, B\}$ and $A \cap B \neq \Phi$, we have the model

A   B

$$I(A) = \log_2 |A| = \log_2 2 = 1$$

$$\text{While } \bigcup_d^s (A) = \frac{\log_2 |A|}{\log_2 |A \cup B|} = \frac{\log_2 2}{\log_2 3} = 0.63093$$

Example 2.
If $\theta = \{A, B, C\}$, and $A \cap B \neq \Phi$, but $A \cap C = \Phi$, $B \cap C = \Phi$, we have the model

$$I(A) = \log_2 |A| = 1 \text{ as in Example 1.}$$

$$\text{While } \bigcup_d^s (A) = \frac{\log_2 |A|}{\log_2 |A \cup B \cup C|} = \frac{\log_2 2}{\log_2 4} = \frac{1}{2} = 0.5 < 0.63093$$

It is normal to have a smaller degree of uncertainty of set A when the frame of discernment is larger, since herein the total ignorance has a bigger cardinal.

Generalized Hartley Measure of uncertainty for masses is defined as:

$$GH(m) = \sum_{A \in 2^\theta \setminus \{\Phi\}} m(A) \log_2 |A|$$

In DST we simply extend it in $DSmT$ as:

$$GH(m) = \sum_{A \in G^\theta \setminus \{\Phi\}} m(A) \log_2 |A|$$

Degree of Uncertainty of a mass.
We go further and define a degree of uncertainty of a mass m as

$$\bigcup_d^M (m) = \sum_{A \in G^\theta \setminus \{\Phi\}} m(A) \cdot \frac{\log_2 |A|}{\log_2 |I_t|}$$

where I_t is the total ignorance.

If $m(\cdot)$ is a mass whose focal elements are only singletons then $\bigcup_d^M (m) = 0$ (minimum uncertainty degree of a mass).

If $m(I_t) = 1$, then $\bigcup_d^M (m) = 1$ (maximum uncertainty degree of a mass).

For all other masses $m(\cdot)$ we have $0 < \bigcup_d^M (m) < 1$.

References

1. P. Pong and S. Challa, "Empirical analysis of generalized uncertainty measures with Dempster–
Shafer fusion", *10th Int. Conf. on Information Fusion*, (Quebec, Que, 9–12 July 2007).
2. D. Dubois and H. Prade, Representation and combination of uncertainty with belief functions and possibility measures, *Comput. Intell.* 4, (1988) 244–264.
3. A.L. Jousselme, C. Liu, D. Grenier and E. Bosse, Measure ambiguity in the evidence theory, *IEEE T Syst Man Cy. A*, 36, (5), (2006) 890–903.
4. F., Smarandache and J. Dezert (Eds), *Advances and Applications of DSmT for Information Fusion*, (Collected works), American Research Press, Vols.1-3, 2004, 2006, 2007.
5. G. J. Klir and M. J. Wierman, *Uncertainty-Based Information*, 2nd ed. ser., *Studies in Fuzziness and Soft Computing*, 15, (Heidelberg, Germany Physica–Verlag, 1999).
6. N. R. Pal, J. C. Bezdek, and R. Hemasinha, Uncertainty measures for evidential reasoning I: A review, *Int. J. Approx. Reason.*, 7(3/4) (1992) 165–183.
8. N. R. Pal, J. C. Bezdek, and R. Hemasinha, Uncertainty measures for evidential reasoning II: A new measure of total uncertainty, *Int. J. Approx. Reason.*, 8(1) (1993) 1–16.
9. D. Harmanec and G. J. Klir, Measuring total uncertainty in Dempster–Shafer theory, *Int. J. Gen. Syst.*, 22(4) (1994) 405–419.
10. G. J. Klir, and H. W. Lewis, Remarks on measuring ambiguity in the evidence theory, *IEEE T Syst Man Cy. A*, 38(4) (2008) 995–999.